

<b>DataID Agent Rights &amp; Responsibilities</b>													
(first draft for roles and actions defined in the DataID ontology)													
Action \ Role	Guest	Contributor	Contact	Maintainer	Publisher	Creator							
<b>EntitledActions</b>													
dataid:ReadDataIdPublicAccess	+	+	+	+	+	+							
dataid:ModifyDataIdPublicAccess	-	+	+	+	+	+							
dataid>DeleteDataIdPublicAccess	-	-	-	+	+	+							
dataid:ReadDataIdSemiPrivateAccess	+	+	+	+	+	+							
dataid:ModifyDataIdSemiPrivateAccess	-	+	+	+	+	+							
dataid>DeleteDataIdSemiPrivateAccess	-	-	-	-	+	+							
dataid:ReadDataIdPrivateAccess	-	-	+	+	+	+							
dataid:ModifyDataIdPrivateAccess	-	-	-	+	+	+							
dataid>DeleteDataIdPrivateAccess	-	-	-	+	+	+							
dataid:ModifyAuthorizedAgents	-	-	-	+	+	+							
dataid:ModifyAccessLevel	-	-	-	-	+	+							
dataid:ModifyAgentRoles	-	-	-	-	-	+							
<b>ResponsibleActions</b>													
dataid:ResponseToLifeCycleEvent	-	-	-	+	*	*							
dataid:ResponseToContact	-	-	+	*	*	*							
dataid:PublishingDecision	-	-	-	-	+	*							
dataid:UpdateDataId	-	-	-	+	+	*							
dataid:AgentSupervision	-	-	-	-	+	+							
<b>EntitledActions</b>							<b>ResponsibleActions</b>						
-	not allowed		-	not responsible									
+	allowed		+	responsible									
			*	responsible if no other Agent (lower in hirarchy) is responsible/ or defined, also if the responsible agent is not acting upon an event, a supervising agent is contacted with an issue.									